



MAXIMA



MAXIMA

Calacatta Palissandro Carnico Daino Caucaso

L'eleganza dell'essere unici.





























## CALACATTA



**60x60 - 24"x24"**  
7681775 Calacatta lapp./rett. 112 ●  
7681835 Calacatta nat./rett. 108 ●





**30x60 - 12"x24"**  
7681945 Calacatta lapp./rett. 112 ●  
7681895 Calacatta nat./rett. 108 ●



**30x30 - 12"x12"**  
7682105 Calacatta lapp./rett. 112 ●  
7681995 Calacatta nat./rett. 108 ●

## PALISSANDRO



**60x60 - 24"x24"**  
7681815 Palissandro lapp./rett. 118 ●  
7681845 Palissandro nat./rett. 114 ●



**30x60 - 12"x24"**  
7681935 Palissandro lapp./rett. 118 ●  
7681885 Palissandro nat./rett. 114 ●



**30x30 - 12"x12"**  
7682095 Palissandro lapp./rett. 118 ●  
7681985 Palissandro nat./rett. 114 ●

## DAINO



**60x60 - 24"x24"**  
7681805 Daino lapp./rett. 112 ●  
7681855 Daino nat./rett. 108 ●



**30x60 - 12"x24"**  
7681965 Daino lapp./rett. 112 ●  
7681915 Daino nat./rett. 108 ●



**30x30 - 12"x12"**  
7682115 Daino lapp./rett. 112 ●  
7682005 Daino nat./rett. 108 ●

## CAUCASO



**60x60 - 24"x24"**  
7681795 Caucaso lapp./rett. 112 ●  
7681865 Caucaso nat./rett. 108 ●




**30x60 - 12"x24"**  
7681955 Caucaso lapp./rett. 112 ●  
7681905 Caucaso nat./rett. 108 ●



**30x30 - 12"x12"**  
7682125 Caucaso lapp./rett. 112 ●  
7682075 Caucaso nat./rett. 108 ●

CARNICO

DECORI E PEZZI SPECIALI



**60x60 - 24"x24"**  
 7681785 Carnico lapp./rett. 112 ●  
 7681825 Carnico nat./rett. 108 ●



**30x60 - 12"x24"**  
 7681925 Carnico lapp./rett. 112 ●  
 7681875 Carnico nat./rett. 108 ●




**30x30 - 12"x12"**  
 7682085 Carnico lapp./rett. 112 ●  
 7681975 Carnico nat./rett. 108 ●




**30x60 - 12"x24"**  
 7682145 Daino bordo lapp./rett. 86 ▲



**30x60 - 12"x24"**  
 7682135 Calacatta bordo lapp./rett. 86 ▲



**60x60 - 24"x24"**  
 7682545 Daino arco tappeto lapp./rett. 102 ▲



**60x60 - 24"x24"**  
 7682495 Calacatta arco tappeto lapp./rett. 102 ▲



**15x60 - 6"x24"**  
 7682555 Daino arco fascia lapp./rett. 50 ▲




**15x60 - 6"x24"**  
 7682505 Calacatta arco fascia lapp./rett. 50 ▲




**15x15 - 6"x6"**  
 7682565 Daino arco ang. lapp./rett. 24 ▲



**15x15 - 6"x6"**  
 7682515 Calacatta arco ang. lapp./rett. 24 ▲



**7,5x60 - 3"x24" battiscopa lapp. / rett. 34 ▲**  
 7682365 Calacatta lapp. / rett.  
 7682375 Palissandro lapp. / rett.  
 7682385 Daino lapp. / rett.  
 7682395 Caucaso lapp. / rett.  
 7682405 Carnico lapp. / rett.




**7,5x60 - 3"x24" battiscopa nat. / rett. 34 ▲**  
 7682315 Calacatta nat. / rett.  
 7682325 Palissandro nat. / rett.  
 7682335 Daino nat. / rett.  
 7682345 Caucaso nat. / rett.  
 7682355 Carnico nat. / rett.



	PZ.	MQ.	BOX	MQ.	KG.
60x60 lapp./rett.	4	1,44	30	43,20	1080
60x60 nat./rett.	4	1,44	30	43,20	1080
30x60 lapp./rett.	7	1,26	36	45,36	900
30x60 nat./rett.	7	1,26	36	45,36	900
30x30 lapp./rett.	11	1,00	48	48	1056
30x30 nat./rett.	11	1,00	48	48	1056
60x60 tappeto	4				
30x60 bordo	4				
15x60 fascia	8				
15x15 angolo	4				
7,5x60 battiscopa	28	16,8 ml			

## Destinazioni d'uso



**GRES PORCELLANATO COLORATO IN MASSA**  
 PORCELAINED STONEWARE WITH MASS COLOURING  
 GRÈS CÉRAME MASSIF AVEC PÂTE COLORÉE  
 DURCHGEFÄRBTES FEINSTEINZEUG  
 GRES PORCELÁNICO CON COLORACIÓN EN MASA  
 Фарфоровый керамогранит, окрашенный по всей толщине



**Bla GL**

Gruppo di appartenenza secondo ISO 13006  
 Class - Groupe d'appartenance  
 Zugehörigkeitsgruppe - Grupo de pertenencia  
 Группа принадлежности

Simbologia Symbolics Symboles Symbole Simbologias Символы	Caratteristiche Features Caracteristiques Eigenschaften Características Характеристика	Unità di misura Unit of measurement Unité de mesure Masseinheit Unidad de medida Единица измерения	Valore medio Saime Saime mean value Valeur moyenne Saime Durchschnitts-Werf-Saime Valor medio Saime Среднее значение Saime	Valore prescritto Fixed value Valeur prescrite Vorgeschriebener Wert Valor prescrito Требуемое значение	Metodo di prova Test method Méthode d'essai Prüfmethode Método de ensayo Метод испытания
	Dimensione lati Dimensions-Longht and widht Dimensions-Longueur et largeur Masse-Länge und Breite Dimensiones-Longitud y ancho Размеры сторон	%	+/- 0,4	+/- 0,6 max	UNI EN ISO 10545-2
	Rettilineità dei lati Side straightness Rectitude des arêtes Geractlinigkeit der Kanten Rectilinedad de los lados Прямолинейность сторон	%	+/- 0,4	+/- 0,5 max	UNI EN ISO 10545-2
	Ortogonalità degli spigoli Corner squarariness Angularité Rechtwinkligkeit der Kanten Ortogonalidad de las esquinas Ортогональность кромок	%	+/- 0,4	+/- 0,6 max	UNI EN ISO 10545-2
	Planarità Flatness - Planéité Ebenflächigkeit - Planeidad Плоскостность	%	+/- 0,4	+/- 0,5 max	UNI EN ISO 10545-2
	Spessore Thickness - Epaisseur Dicke - Grosor - Толщина	%	+/- 5,0	+/- 5,0 max	UNI EN ISO 10545-2
	Assorbimento d'acqua Water absorption - Absorption d'eau Wasseraufnahme - Absorción de agua Водопоглощение	%	0,05 + 0,07	≤0,5	UNI EN ISO 10545-3
	Sforzo di rottura Breaking strenght - Contrainte de rupture Bruchkraft - Esuerzo de rotura Разрушающее усилие	N	conforme conform - conforme gleichmässig - conforme соответствует	≥1300 se Spess. ≥7,5 ≥700 se Spess. ≤7,5	UNI EN ISO 10545-4
	Modulo di rottura Modulus of rupture - Coefficient de rupture Bruchmodul - Módulo de rotura Модуль разрыва	N/mm <sup>2</sup>	55	≥35	UNI EN ISO 10545-4
	Dilatazione termica lineare Coeff. of linear thermal expansion Coeff. d'extension thermique linéaire Linearer Wärmeausdehnungs-Koeffizient Coeficiente de dilatación térmica lineal Линейное тепловое расширение	°MK (-1)	7,0	metodo disponibile available method méthode disponible verfügbare methode método disponible используемый метод	UNI EN ISO 10545-8
	Resistenza agli sbalzi termici Thermal shock resistyance Résistance aux chocs termiques Temperaturwechsel beständig keit Resistencia a choque térmico Стойкость к перепадам температуры	-	resiste resist - résiste widerstandsfähig - resiste стойкий	metodo disponibile available method méthode disponible verfügbare methode método disponible используемый метод	UNI EN ISO 10545-9
	Resistenza ai prodotti chimici di uso domestico Resistance to chemical products Résistance aux produits chimiques Beständigkeit gegen Chemikalien Resistencia a los productos quimicos Стойкость к бытовым химикатам	-	conforme conform - conforme gleichmässig - conforme соответствует	MINUB	UNI EN ISO 10545-13
	Resistenza agli acidi e alle basi a bassa concentrazione Resistant to acids and low concentration bases Résistance aux acides et aux bases à faible concentration Widerstandsfähig gegenüber niedrig konzentrierten Säuren und Laugen Resistencia a los ácidos y las bases de baja concentración Стойкость к низким концентрациям кислот и щелочей	-	ULA	metodo disponibile available method méthode disponible verfügbare methode método disponible используемый метод	UNI EN ISO 10545-13
	Resistenza al gelo Frost resistance - Résistance au gel Frostbeständigkeit - Resistencia al hielo Морозостойкость	-	resiste resist - résiste widerstandsfähig resiste - стойкий	richiesta request - demande anfrage - solicitud требуемое значение	UNI EN ISO 10545-12
	Stabilità dei colori Colour stability - Stabilité des coloris Lichtechtheit der Färbung Estabilidad de los colores Цветостойкость	-	stabile stable - stable stabil - estable стойкий	metodo disponibile available method méthode disponible verfügbare methode método disponible используемый метод	DIN 51094
	E' a disposizione della gentile clientela la lista dei nostri articoli certificati dall'ente UNI The list of our items certified by "UNI" is available for our customers - Pour tous nos clients est disponible la liste de nos produits avec la certification UNI Den Kunden steht eine Aufstellung zur Veruegung, der Artikeln die mit UNI Zertifikat bescheinigt wurden La lista de nuestros artículos certificados por el Instituto UNI está a disposición de la estimada clientela. Мы можем предоставить в распоряжении наших заказчиков перечень нашей продукции, сертифицированной органом UNI				

N° DI CONCESSIONE P0219





UFFICI COMMERCIALI  
SAIME S. PROSPERO  
Via Giardini, 24 - 41053 Maranello MO Italy  
Tel. +39 0536 869611  
Fax +39 0536 843823 - +39 0536 830313  
saime@riwal.it - www.saimespr.com



SEDE LEGALE E AMMINISTRATIVA  
NUOVA RIWAL CERAMICHE S.R.L.  
SAIME S. PROSPERO  
Via Ghiarola Nuova, 101  
41042 Fiorano Modenese (MO) Italy

